



Powder Wheeled Extinguisher ABC Movable fire extinguishers

Wheeled extinguishers are designed for professional use under severe circumstances, resulting in a high level of quality and ease of use. Ease of mobility is achieved as a result of the large wheels with solid rubber tyres and push bar also ensuring good stability during operation. Movable powder extinguishers cover type A, B and C fires.



Benefits

Applications for the marine, inland shipping and offshore market

- engine rooms
 - deck rooms
 - heli decks
 - car decks
-

Features

- suitable placing of supporting handle, axis and supporting roll guarantees an optimal center of gravity of the apparatus as well as a good mobility
 - easy-running, solid tyred steel wheels
 - quick readiness for use and space-saving by placing the hose around the powder container
 - 5 meter high pressure hose with textile insert
 - interruptable extinguishing pistol enables a dosed fire fighting
 - painted inside
-

Special features for 25 kgs extinguishers

- quality stoved-enamel lacquer
-

Special features for 50 kgs extinguishers

- with the mark "GS"=tested security
- can be used at low temperatures (-30°C)
- very mobile and easy to operate

Accessories



Covers

Covers protect the fire extinguishers from rain, dust, corrosion and misuse. The covers are made of flame retardant PVC and have a bright red finish for ease of identification in an emergency. The covers are available in different sizes. Depending on the extinguishing agent an appropriate stripping is marking the cover.

Technical Data

	25 kgs	50 kgs
Manufacturer / Model	14134	14163
Extinguisher	Dry chemical powder	Dry chemical powder
Type	Internal cartridge	Internal cartridge
Capacity	25 kgs	50 kgs
Fire class / Rating	ABC	ABC
Propellant gas	CO ₂ , 1.3 kgs	CO ₂ , 2 kgs
Discharge time	25 seconds	41 seconds
Throw length	11 meters	11 meters
Working pressure	14 bar at 20°C	14 bar at 20°C
Suitable for electrical equipment	Up to 1000V	Up to 1000V
Extinguishing agent	Powder MAP ABC 30	Powder ABC 30
Length discharge hose	5 meters	5 meters
Diameter wheels	300 mm	300 mm
Material wheels	Hard rubber / PVC	Hard rubber / PVC
Temperature range	-30°C to +60°C	-30°C to +60°C
Approx gross weight	25 kgs	85 kgs
Approx dispatch weight	60 kgs	85 kgs
Approx unit dimension	535 x 430 x 1020 mm (l x w x h)	500 x 450 x 1050 mm (l x wx h)
Color	Cylinder red RAL 3000	Cylinder red RAL 3000
Approvals	EN 1866 / CE, MED	EN 1866 / CE, MED

Ordering Information

Description	IMPA no.	Articlenr
Powder wheeled extinguisher 25 kgs ABC (cartridge) MED	331020	SG00261
Powder wheeled extinguisher 50 kgs ABC (cartridge) MED		SG00262
Cover for wheeled powder extinguisher for 25 kgs and 50 kgs		SG00322
Cover for wheeled powder extinguisher (made heavier by a galvanized chain) for 25 kgs and 50 kgs		SG00323
Cover for wheeled powder extinguisher (offshore) for 25 kgs and 50 kgs		SG00321
Spare CO ₂ cylinder for powder wheeled extinguisher 25 kgs ABC		SG00402
Spare CO ₂ cylinder for powder wheeled extinguisher 50 kgs ABC		SG00403

Service and support

Dräger offers 24/7 service and support, including full certification on all Dräger and non-Dräger products. Contact us for more details.

Notes

Notes

CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany
www.draeger.com

REGION DACH

Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION EUROPE

Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION MIDDLE EAST, AFRICA

Dräger Safety AG & Co. KGaA
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
Tel +971 4 4294 600
Fax +971 4 4294 699
contactuae@draeger.com

REGION ASIA PACIFIC

Draeger Safety Asia Pte Ltd
25 International Business Park
#04-20/21 German Centre
Singapore 609916
Tel +65 6308 9400
Fax +65 6308 9401
asia.pacific@draeger.com

REGION CENTRAL

AND SOUTH AMERICA
Dräger Panama S. de R.L.
Complejo Business Park,
V tower, 10th floor
Panama City
Tel +507 377 9100
Fax +507 377 9130
contactcsa@draeger.com

Locate your Regional Sales
Representative at:
www.draeger.com/contact

