

## Standard Fire Hose Fire hoses

The lay-flat 500 Synthetic hose has a smooth outside PU coating making it more resistant to oils and chemicals and abrasion resistant than uncoated fire hoses. This hose is widely used in marine and offshore.



## Benefits

---

### Applications

For preventive use, low usage frequency.

---

### Life span

Hoses are available in different qualities. Before purchasing, keep the usage frequency in mind. This will determine the life span of the hose. The synthetic 500 has a medium to long life.

---

### Features

The synthetic fire hose is a woven synthetic material, has a burst pressure of 40 bar and has a rubber inner lining. The standard length is 20 meters. Standard available with Storz pillars and in the color red. Other colors and / or columns on request.

## Technical Data

Type	Synthetic 500
Material	Synthetic coating
Temperature	-30°C to +80°C
Working pressure	17 bar
Bursting pressure	40 bar
Diameter	1" to 4"
Length	Standard: 20 meters Other lengths on request
Approvals	DIN 14811 Class 3, BS 6391:1983 Type III, MED 96/98/EC SBG*, Russian Maritime Register

## Ordering Information

Description	IMPA no.	Articlenr
Storz - Syn / LM / N66 / 2,0" 20 meter, Red		SG00542
Storz - Syn / LM / N81 / 2,0" 20 meter, Red	330732	SG00562
Storz - Syn / LM / N81 / 2,5" 20 meter, Red	330733	SG00563
Storz - Syn / LM / N81 / 3,0" 20 meter, Red		SG00564
Storz - Syn / LM / N66 / 1,5" 20 meter, Red		SG00541
Storz - Syn / MS / N66 / 1,5" 20 meter, Red		SG00546
Storz - Syn / MS / N81 / 2,0" 20 meter, Red		SG00567
Storz - Syn / MS / N81 / 1,5" 20 meter, Red		SG00566

### Service and support

Dräger offers 24/7 service and support, including full certification on all Dräger and non-Dräger products. Contact us for more details

## Notes

### **CORPORATE HEADQUARTERS**

Drägerwerk AG & Co. KGaA  
Moislinger Allee 53–55  
23558 Lübeck, Germany  
[www.draeger.com](http://www.draeger.com)

### **REGION DACH**

Dräger Safety AG & Co. KGaA  
Revalstraße 1  
23560 Lübeck, Germany  
Tel +49 451 882 0  
Fax +49 451 882 2080  
[info@draeger.com](mailto:info@draeger.com)

### **REGION EUROPE**

Dräger Safety AG & Co. KGaA  
Revalstraße 1  
23560 Lübeck, Germany  
Tel +49 451 882 0  
Fax +49 451 882 2080  
[info@draeger.com](mailto:info@draeger.com)

### **REGION MIDDLE EAST, AFRICA**

Dräger Safety AG & Co. KGaA  
Branch Office  
P.O. Box 505108  
Dubai, United Arab Emirates  
Tel +971 4 4294 600  
Fax +971 4 4294 699  
[contactuae@draeger.com](mailto:contactuae@draeger.com)

### **REGION ASIA PACIFIC**

Draeger Safety Asia Pte Ltd  
25 International Business Park  
#04-20/21 German Centre  
Singapore 609916  
Tel +65 6308 9400  
Fax +65 6308 9401  
[asia.pacific@draeger.com](mailto:asia.pacific@draeger.com)

### **REGION CENTRAL AND SOUTH AMERICA**

Dräger Panama S. de R.L.  
Complejo Business Park,  
V tower, 10th floor  
Panama City  
Tel +507 377-9100  
Fax +507 377-9130  
[contactcsa@draeger.com](mailto:contactcsa@draeger.com)

Locate your Regional Sales  
Representative at:  
[www.draeger.com/contact](http://www.draeger.com/contact)

